

# **The Therapeutic Efficacy of Vibroacoustic Therapy in Chronic Pain Management: A Comprehensive Scientific Overview**

## **I. Executive Summary**

Chronic pain represents a significant global health burden, profoundly impacting individuals' physical function and overall quality of life. In response to the limitations and risks associated with pharmacological interventions, non-pharmacological approaches have gained prominence as first-line treatments. Among these, Vibroacoustic Therapy (VAT) has emerged as a promising non-invasive modality, utilizing low-frequency sound vibrations to induce therapeutic effects.

Developed by Olav Skille in Norway, VAT has evolved from its origins in music therapy to a more focused application of pure sinusoidal tones, emphasizing the direct physical resonance within the body. The therapy leverages the body's high water content to efficiently transmit vibrations, enabling a deep "cellular massage" that influences various physiological and neurological systems.

The therapeutic benefits of VAT are attributed to a multifaceted interplay of mechanisms. These include the activation of sensory gating pathways to inhibit pain signals, modulation of the autonomic nervous system to induce a profound relaxation response, and the hypothesized release of endogenous neurochemicals like endorphins and serotonin. Furthermore, VAT is believed to promote brainwave entrainment, enhance circulation, reduce muscle tension, and support cellular healing.

Clinical evidence indicates that VAT can significantly reduce pain intensity and improve associated symptoms such as stress, anxiety, insomnia, and depression, thereby enhancing overall quality of life for individuals with chronic pain. While its efficacy can vary across conditions, VAT demonstrates particular promise for fibromyalgia, musculoskeletal pain, and certain types of headaches. Its favorable safety profile, with minimal reported side effects, positions it as an attractive and accessible option.

When compared to other non-invasive therapies like Transcutaneous Electrical Nerve Stimulation (TENS) or physical therapy, VAT offers a unique bio-physical modality, capable of deep tissue penetration and a holistic approach that simultaneously addresses physical and psychological aspects of pain. Research suggests that VAT can act synergistically with other treatments, augmenting their benefits within a multimodal pain management strategy.

Despite promising outcomes, the field of VAT research faces methodological challenges, particularly in designing robust placebo controls for sensory-based interventions. A critical need exists for more rigorous, large-scale randomized controlled trials to standardize protocols, optimize therapeutic parameters, and further elucidate long-term efficacy and underlying mechanisms. Continued interdisciplinary collaboration between academia, clinical practice, and industry is essential to advance the scientific understanding and broader acceptance of VAT as a validated therapeutic intervention for chronic pain.

## **II. Introduction to Chronic Pain and the Landscape of Non-Invasive Interventions**

Chronic pain, defined as persistent pain lasting typically three months or longer, extends beyond a mere physical sensation to profoundly disrupt an individual's physical function and overall quality of life.<sup>1</sup> This pervasive condition is categorized into nociceptive pain, resulting from direct tissue injury, and neuropathic pain, stemming from damage or disease affecting the nervous system.<sup>1</sup> The subjective nature of pain perception, influenced by an individual's context and state of mind, underscores the complexity of this health challenge.<sup>1</sup> The widespread impact of chronic pain necessitates the development and implementation of effective strategies to mitigate its effects.<sup>3</sup>

In response to the multifaceted burden of chronic pain, there has been a notable shift in clinical paradigms towards non-pharmacological treatments as a preferred first-line approach.<sup>3</sup> This emphasis is largely driven by the recognition of significant drawbacks associated with long-term pharmacological interventions, including the risks of tolerance, dependency, and various adverse side effects.<sup>5</sup> Consequently, non-invasive therapies are increasingly valued for their potential to offer safer, more sustainable, and patient-empowering alternatives. Exercise, for instance, is widely recommended

due to its cost-effectiveness and its capacity to reduce pain intensity and disability, albeit with modest effects.<sup>3</sup> Its benefits extend to improving aerobic capacity, strength, flexibility, and even altering pain perception.<sup>4</sup> Beyond exercise, other non-pharmacological modalities encompass nutritional interventions, such as the Mediterranean diet and specific supplements like omega-3 fatty acids, Vitamin D, and magnesium, which can address inflammatory components and deficiencies.<sup>4</sup> Mind-body techniques, including yoga, tai chi, meditation, and mindfulness, are also integral to this holistic approach.<sup>4</sup> Furthermore, advanced non-invasive options like peripheral nerve stimulation (PNS) have emerged as formidable alternatives to opioids, offering less invasive solutions for a wide range of chronic pain conditions.<sup>2</sup> Even virtual reality (VR) is gaining attention, primarily for its pain distraction capabilities, although its overall efficacy remains under ongoing investigation.<sup>5</sup>

Within this evolving landscape, Vibroacoustic Therapy (VAT) is presented as a powerful, non-invasive wellness therapy that holds significant promise for reducing chronic pain and enhancing life quality [User Query]. VAT is a recently recognized technology that employs audible sound to generate mechanical vibrations, which are then applied directly to the body.<sup>6</sup> This gentle yet potent treatment utilizes low-frequency sound waves to stimulate internal healing processes.<sup>7</sup> It is characterized as a holistic and noninvasive technique designed to alleviate both acute and chronic pain, along with associated symptoms.<sup>8</sup> VAT can function as an independent therapy or be seamlessly integrated with conventional medical treatments and psychotherapy, positioning itself as a natural energy booster and pain reliever beneficial for individuals with chronic conditions or those seeking preventive and integrative wellness solutions for stress management.<sup>7</sup> The current emphasis on non-pharmacological pain management creates a significant opportunity and validates the growing relevance of modalities like VAT. This shift is driven by the limitations and risks associated with long-term pharmacological interventions, positioning non-invasive therapies as safer, potentially more sustainable, and patient-empowering alternatives. This context underscores the critical importance of exploring VAT's scientific basis and therapeutic potential.

### **III. The Historical Foundations and Evolution of Vibroacoustic Therapy**

The genesis of modern Vibroacoustic Therapy (VAT) can be traced to the pioneering

work of Olav Skille in Norway, whose foundational contributions in the late 1960s laid the groundwork for this unique therapeutic modality. Understanding this historical trajectory is essential for appreciating the scientific lineage and ongoing development of VAT.

### **Olav Skille: The Pioneer of Modern VAT**

Vibroacoustic Therapy's basic theory was first defined by Olav Skille and Juliette Alvin in 1968.<sup>9</sup> Skille, a Norwegian music teacher, special education teacher, and musician, is widely recognized as the inventor of the original Vibroacoustic Therapy.<sup>11</sup> His extensive investigations into human musical behavior led him to design and test the Musical Behavior Scale (MUBS), a nonverbal screening tool used to observe signs of language difficulties, personality disorders, motor functions, and learning capacity in both children and adults.<sup>10</sup>

From this foundational work, Skille conceived of VAT as a method to harness the energy of musical sound waves, applying them directly to the body to elicit relaxing physiological and psychological effects.<sup>10</sup> His initial paper on the subject, submitted in 1987, provided early insights into VAT's application and results.<sup>10</sup> A significant development in Skille's approach was his evolution from combining music with frequencies to prioritizing pure low-frequency sinusoidal tones.<sup>12</sup> He believed that pure sound, devoid of rhythms, overtones, and harmonies, was a more powerful tool for balancing inner systems.<sup>16</sup> His research indicated that the most pronounced effects were found within the octave between 40 and 80 Hz, which he identified as the core of the VibroAcoustical area.<sup>16</sup> Skille defined three "universal" principles for the therapeutic use of vibrational sounds, emphasizing that low frequencies (ranging from 30 to 120 Hz), which can be both felt and heard, constitute the most effective element of VAT.<sup>16</sup> This progression highlights a crucial conceptual shift from a broader music therapy paradigm to a more targeted, scientifically engineered approach, where the direct physical resonance of calibrated frequencies is considered the primary therapeutic agent. This perspective suggests a deliberate focus on minimizing confounding psychological effects of music, thereby establishing a clearer physiological basis for VAT.

Skille's contributions extended beyond theoretical development; he was a founding member and president of the International Society for VibroAcoustics (ISVA) and served on the scientific committee of the International Society for Music in Medicine

(ISMM).<sup>13</sup> His work underscored the primacy of the somatosensory system in VAT's therapeutic effect. While VAT involves audible sound, the emphasis on the "I-body" experience—where vibrational sensations are localized

*within* the body, directly affecting muscles and nerves—indicates that VAT is fundamentally a tactile therapy delivered via sound waves, rather than primarily an auditory one.<sup>16</sup> This perspective has guided the design of VAT devices and the selection of frequencies to maximize physical resonance and internal physiological responses.

## **Global Development and Key Contributors**

Following its inception in Norway, VAT's influence expanded across Europe, with practices and research developing in Finland, Germany, England, Denmark, and Estonia.<sup>10</sup> Notable pioneers who further developed the field include Tony Wigram in England, Petri Lehikoinen in Finland (who developed the closely related Physio Acoustic Therapy, PAT), and Saima Tamm, Eha Ruutel, and Dr. Riina Raudsik in Estonia.<sup>9</sup> Tallinn University, for instance, has actively contributed to VAT practice, research, and equipment development since the 1980s, producing early models of devices.<sup>18</sup>

Today, VAT is increasingly accessible, available in spas, resorts, clinics, and through various professional and holistic practitioners worldwide.<sup>11</sup> The commercialization of VAT, exemplified by companies like TheSoundwell vibro-a-therapy, which identifies itself as "the original vibroacoustic therapy company invented by Olav Skille from Norway," plays a significant role in disseminating these therapeutic devices globally [User Query]. The direct lineage from Skille to TheSoundwell is affirmed by accounts of Skille himself requesting representation in the US, indicating a clear connection between his foundational work and the manufacturing of modern VAT products such as mats, recliners, sonic pets, pillows, sound tables, and sound wave bedding kits.<sup>17</sup> This dual trajectory, from specialized clinical intervention to widely accessible wellness modality, highlights a critical transition for VAT. For VAT to gain widespread acceptance and trust, particularly as it enters broader commercial markets, it necessitates robust scientific validation and standardized protocols to ensure efficacy and maintain credibility.

## IV. Principles and Modalities of Vibroacoustic Therapy

Vibroacoustic Therapy operates on distinct scientific principles, leveraging the interaction of low-frequency sound waves with the human body to elicit therapeutic effects. Understanding these core principles and the various modalities through which VAT is applied provides clarity on its unique approach to wellness.

### Defining Vibroacoustic Therapy (VAT)

At its core, Vibroacoustic Therapy is a type of sound therapy that involves the transmission of low-frequency sine wave vibrations directly into the body via specialized devices equipped with embedded speakers or transducers.<sup>11</sup> This process is essentially a deep tissue low-frequency sound massage, where audio waves, typically ranging from 30 Hz to 120 Hz, are delivered to the body.<sup>7</sup> A fundamental principle underlying VAT's efficacy is the human body's high water content, which averages between 60% and 70%.<sup>7</sup> Water is an excellent conductor of sound and vibrations, making VAT vibrations approximately five times more effective when traveling through the body's water than through air.<sup>7</sup> This allows the sound to gently permeate cells, facilitating an "internal massage" that reaches deep tissues and organs.<sup>7</sup> The U.S. Food and Drug Administration (FDA) has recognized vibroacoustic devices as "substantially equivalent" to other therapeutic vibrators, indicating their intended use for relaxing muscles and alleviating minor aches and pains.<sup>11</sup> This bio-physical advantage, stemming from the body's water content and its superior ability to transmit sound vibrations, implies that VAT can achieve a deep tissue or cellular massage that traditional external physical therapies might not fully replicate. This capability for internal stimulation of organs, nerves, and deep-lying tissues allows for a unique therapeutic reach, potentially explaining its distinct benefits.

### Therapeutic Frequencies and Their Effects

VAT primarily employs low-frequency sinusoidal vibrations, generally spanning from 0 to 500 Hz, with a commonly cited therapeutic range between 30 Hz and 120 Hz.<sup>11</sup> Frequencies within the 30 Hz to 120 Hz range are widely considered to induce calming and relaxing effects.<sup>11</sup> The 40 Hz frequency, in particular, has been extensively studied for its potential to promote relaxation and enhance focus.<sup>11</sup> It is also associated with neural processes that support attention and neuroplasticity.<sup>22</sup> Olav Skille's early research identified the octave between 40 and 80 Hz as the most effective range for pure tones.<sup>16</sup>

A key aspect of VAT is the understanding that specific body parts respond optimally to particular frequencies. For instance, the large muscles of the back are generally stimulated by frequencies around 50 Hz.<sup>23</sup> Furthermore, achieving the same focus of sensation in different individuals, or even in the same individual at different times, may necessitate slight adjustments of several Hz in the frequency.<sup>23</sup> This indicates that VAT is not a generic sound application but a targeted therapeutic modality, with the ability to calibrate frequencies to individual patient needs.<sup>16</sup> This precision in frequency application suggests that VAT is moving towards a more scientifically engineered approach, where particular vibrational inputs are chosen to elicit precise physiological responses, rather than simply providing a general soothing effect. This points to the potential for highly individualized and effective treatments. While low frequencies are central to VAT, it is worth noting that higher frequencies, such as ultrasonic waves, are utilized in other scientific applications, for example, to break up kidney stones, and whole-body vibrations in the 60-600 Hz range are also recognized for pain management.<sup>24</sup>

## **VAT Devices and Application**

Vibroacoustic devices are available in a diverse array of forms, designed to facilitate the delivery of vibrations to the body. These include specialized beds, chairs, pillows, mats, wristbands, wearable backpacks, and even simple DIY platforms.<sup>6</sup> TheSoundwell vibroa-therapy, for example, manufactures sonic ergonomic vibroacoustic therapy mats, recliners, sonic pets, sonic pillows, sound tables, and sound wave bedding kits [User Query]. These devices function by playing sound files through embedded transducers, bass shakers, or exciters, which then transfer the vibrations into the body.<sup>8</sup> Some designs are specifically engineered to target very precise areas of the body, such as the wrist or the spine.<sup>11</sup> A notable characteristic of these systems is the clean delivery of vibration, which the brain often interprets as sound rather than mere

shaking, contributing to a seamless and immersive therapeutic experience.<sup>20</sup> Sessions can involve lying on a specially designed table or lounge with integrated transducers<sup>20</sup>, or a therapist may use handheld equipment to direct vibrations to specific body parts.<sup>8</sup> Some VAT applications also incorporate a "sound bath" approach, where patients are immersed in vibrations produced by instruments like gongs or singing bowls.<sup>8</sup>

### **The Distinction and Application of Pure Tones Versus Music in VAT Protocols**

A significant aspect of VAT's evolution and current practice involves the debate and application of pure tones versus music. Olav Skille, the therapy's inventor, initially combined music with frequencies, but later shifted his focus, advocating for the use of pure low-frequency sound.<sup>12</sup> He believed that pure tones, devoid of rhythms, overtones, and harmonies, were more powerful for balancing inner systems and conducted studies on their specific effects.<sup>16</sup>

Conversely, many contemporary VAT applications integrate specially composed vibroacoustic music. These compositions often incorporate low-frequency musical instruments and advanced audio engineering techniques to create an immersive and enjoyable therapeutic experience, with the belief that this combination enhances both physical and emotional benefits.<sup>11</sup> Some systems further integrate binaural beats and healing frequencies with therapeutic music, aiming to activate the parasympathetic nervous system and induce desired brainwave states.<sup>14</sup> Patient feedback suggests that the choice of music styles can play an important role in amplifying vibrations and helping individuals feel musical tones throughout their body.<sup>24</sup> The low tone frequencies (30 to 120 Hz) can be precisely calibrated to the patient's needs, and this calibration can be achieved through the combination of music and pure tones.<sup>16</sup> This divergence between Skille's later emphasis on pure tones and the common contemporary practice of combining vibrations with music represents a key area of ongoing discussion. While pure tones might offer a more direct physiological stimulus, music could enhance the psychological and emotional experience, potentially influencing brainwave entrainment and overall patient acceptance. Future research is needed to clarify the optimal balance or distinct applications for each approach to maximize therapeutic benefit.

## V. Physiological and Neurological Mechanisms Underlying Pain Reduction

The efficacy of Vibroacoustic Therapy in pain reduction is underpinned by a complex interplay of physiological and neurological mechanisms. A detailed examination of these pathways provides a scientific foundation for understanding how VAT influences the body's pain perception and overall well-being.

### Sensory Gating and Pain Perception

One of the primary mechanisms by which VAT is thought to alleviate pain is through sensory gating, as described by the Gate Control Theory of Pain.<sup>1</sup> This foundational theory posits that the spinal cord contains "gates" that regulate the transmission of pain signals to the brain.<sup>1</sup> Small nerve fibers are responsible for transmitting pain sensations, while larger nerve fibers convey non-painful stimuli, such as touch or pressure.<sup>1</sup> When these larger fibers are stimulated, they can inhibit the transmission of pain signals from the smaller fibers in the dorsal horn of the spinal cord, effectively "closing the gate" and altering the perception of pain.<sup>28</sup>

Vibroacoustic Therapy directly engages this mechanism through the body's sensitivity to mechanical vibrations, a phenomenon known as pallesthesia.<sup>11</sup> The mechanical stimulation delivered by VAT, particularly in the 60-600 Hz range, activates Pacinian corpuscles.<sup>11</sup> These rapidly adapting mechanoreceptors are highly sensitive to pressure and vibrations within a broad frequency range (20-1000 Hz).<sup>29</sup> When activated, these large diameter A $\beta$  fibers send afferent stimuli that can inhibit nociceptor signaling, thereby reducing the perception of pain.<sup>1</sup> Research indicates that vibration can interfere with the transmission of pain signals to the central nervous system.<sup>32</sup> A study demonstrated that applying vibration to a painful region resulted in a 40% reduction in pain across various patient groups, including those with fibromyalgia, suggesting a genuine analgesic effect beyond mere distraction.<sup>32</sup> This immediate pain signal inhibition via Gate Control Theory is a fundamental aspect of VAT's pain-relieving action.

## Autonomic Nervous System (ANS) Modulation

Vibroacoustic Therapy is widely recognized for its profound impact on the Autonomic Nervous System, specifically its ability to induce a "relaxation response" through parasympathetic activation.<sup>7</sup> This shift from a state of heightened physiological arousal to one of calmness is critical for emotion regulation and overall well-being, particularly in the context of chronic pain where stress and anxiety often exacerbate symptoms.<sup>22</sup>

The modulation of the ANS by VAT leads to measurable physiological changes. It can result in a reduction of stress hormones, notably cortisol.<sup>25</sup> While some low-frequency noise exposure in non-therapeutic contexts can attenuate the normal circadian decline in cortisol, indicating increased stress<sup>38</sup>, VAT aims to counteract this by promoting a calming effect with its specific therapeutic frequencies. Furthermore, VAT contributes to the lowering of blood pressure and heart rate, vital indicators of relaxation and reduced physiological stress.<sup>20</sup> Beyond these direct physiological effects, VAT also plays a role in regulating the limbic system, the part of the brain involved in emotional memories and responses. This regulation helps to reduce anxiety and promote emotional stability, which are often significant co-morbidities in chronic pain conditions.<sup>7</sup> This indicates that VAT offers more than just symptomatic pain relief; it actively re-regulates the body's stress response and emotional processing, which are often significant perpetuators of pain chronicity and intensity.

## Neurochemical and Brainwave Entrainment Effects

The therapeutic effects of VAT are also hypothesized to involve neurochemical changes and brainwave entrainment. It is believed to trigger the release of various mood-enhancing and pain-reducing neurochemicals, including an increase in serotonin and endorphin levels.<sup>25</sup> Endorphins, as natural pain-killing chemicals, are narcotic neuropeptides involved in pain management and homeostasis, and their release can inhibit pain signals in the spinal cord.<sup>30</sup> Additionally, dopamine levels may increase, contributing to improved mood and motivation.<sup>25</sup>

Brainwave entrainment is another proposed mechanism, suggesting that brainwaves synchronize with the rhythmic sensory input provided by VAT.<sup>11</sup> Specific frequencies can induce desired brainwave states, such as theta (associated with deep relaxation

and meditation) or alpha (linked to calm alertness).<sup>14</sup> This synchronization can promote profound relaxation, enhanced focus, mental clarity, and meditative states.<sup>14</sup> Furthermore, VAT may influence neural responses critical for neuroplasticity and cognitive functions.<sup>22</sup> Functional magnetic resonance imaging (fMRI) studies have even shown changes in brain activity during VAT sessions, providing objective evidence of its neurological impact.<sup>43</sup>

## **Circulatory and Musculoskeletal Benefits**

Beyond its neurological and neurochemical effects, VAT provides significant circulatory and musculoskeletal benefits. The vibrations delivered by VAT can stimulate blood circulation and lymphatic drainage.<sup>7</sup> Improved circulation is crucial for healing, as it facilitates the faster transportation of nutrients and cells necessary for tissue repair to injury sites.<sup>25</sup> Concurrently, enhanced circulation aids in the removal of metabolic waste and byproducts, which can reduce muscle soreness and accelerate recovery.<sup>25</sup>

VAT is often described as providing a gentle inner body massage<sup>7</sup> or a deep tissue low-frequency sound massage.<sup>7</sup> This internal stimulation helps to reduce muscle tension, spasms, and stiffness.<sup>6</sup> This effect is attributed to the oscillation of the human nervous system in resonance with the applied frequencies, influencing various muscle groups.<sup>7</sup> The reduction in muscle tension and improved circulation collectively lead to enhanced flexibility and range of motion.<sup>6</sup> The concept of "cellular massage" is frequently mentioned, suggesting that vibrations stimulate healing processes at a fundamental biological level.<sup>7</sup> The observed improvements in micro-circulation, blood flow, and lymphatic drainage point to VAT's potential to induce restorative processes at a fundamental biological level. This suggests that the therapy may not only alleviate symptoms but also support the body's intrinsic healing mechanisms by optimizing the cellular environment, nutrient delivery, and waste removal, which are critical for tissue repair and long-term resolution of pain-contributing factors.

The efficacy of VAT in pain reduction stems from a sophisticated, simultaneous engagement of multiple physiological and neurological pathways, rather than a single isolated mechanism. The immediate pain signal inhibition via Gate Control Theory is complemented by the systemic relaxation induced by Autonomic Nervous System modulation, which reduces the stress-related component of pain. Concurrently, the hypothesized release of endogenous neurochemicals like endorphins and serotonin

provides internal analgesia and mood elevation. This synergistic interplay suggests a more comprehensive and robust approach to pain management than therapies relying on a single mechanism. Furthermore, by regulating the limbic system, reducing stress hormones, and inducing brainwave entrainment towards relaxed states, VAT directly addresses the psychological and emotional components that are inextricably linked with chronic pain. This implies that VAT offers more than just symptomatic pain relief; it actively re-regulates the body's stress response and emotional processing, which are often significant perpetuators of pain chronicity and intensity. This holistic approach is crucial for long-term pain management and improved quality of life.

**Table 1: Key Physiological and Neurological Mechanisms of Vibroacoustic Therapy**

Mechanism Category	Specific Pathway/Effect	Description/How it Works	Observed Physiological/Neurological Outcomes	Supporting Source IDs
Sensory Gating	Gate Control Theory	Stimulation of large A $\beta$ fibers (e.g., Pacinian corpuscles) inhibits pain signals from small C fibers in the spinal cord.	Pain signal inhibition, altered pain perception.	<sup>1</sup>
	Direct Mechanical Stimulation	Vibrations directly stimulate tissues, muscles, and nerves, interfering with pain signal transmission.	Reduced pain sensation, analgesic effect.	<sup>31</sup>
Autonomic Nervous System Modulation	Parasympathetic Activation	Low-frequency vibrations induce a "rest and digest"	Deep relaxation, reduced heart rate, lowered blood pressure.	<sup>7</sup>

		state.		
	Stress Hormone Reduction	Modulation of ANS activity leads to decreased production of stress hormones.	Reduced cortisol levels, decreased physiological stress.	25
	Limbic System Regulation	Influence on brain areas involved in emotional processing.	Reduced anxiety, improved emotional stability.	7
Neurochemical Release	Endorphin Release	Hypothesized stimulation of the body's natural opioid system.	Internal analgesia, pain relief, improved mood.	26
	Serotonin & Dopamine Increase	Promotion of neurotransmitters associated with mood and well-being.	Elevated mood, increased sense of well-being, improved motivation.	25
Brainwave Entrainment	Alpha & Theta State Induction	Brainwaves synchronize with rhythmic sensory input, leading to specific brain states.	Deep relaxation, meditative states, enhanced focus, mental clarity.	14
Circulatory/Musculoskeletal Effects	Enhanced Blood Flow & Lymphatic Drainage	Vibrations stimulate circulation and lymphatic system.	Improved nutrient delivery, waste removal, accelerated healing.	20
	Muscle Relaxation &	Direct vibrational	Reduced muscle spasms,	6

	Tension Relief	"massage" and neurological oscillation of muscle groups.	decreased stiffness, improved flexibility.	
	Cellular Level Stimulation	Vibrations permeate the body's water content, affecting cells directly.	"Cellular massage," promotion of intrinsic healing mechanisms.	7

## VI. Clinical Evidence: Positive Impacts on Chronic Pain and Quality of Life

Clinical research on Vibroacoustic Therapy (VAT) consistently points to its positive impacts on reducing chronic pain and significantly enhancing the overall quality of life for affected individuals. These benefits extend across various pain conditions, addressing both the physical and psychological dimensions of chronic suffering.

### General Analgesic Effects and Co-occurring Benefits

VAT has consistently demonstrated effectiveness in pain management across numerous studies.<sup>6</sup> One notable finding indicated a 54% reduction in pain intensity after just a single sound treatment.<sup>9</sup> Beyond direct pain reduction, VAT is recognized for its ability to reduce symptoms, induce relaxation, and alleviate stress.<sup>24</sup> Patients frequently report experiencing pleasant sensations during sessions, including a slowing of abstract thought, an expansion of body and mind awareness, and the induction of deep meditative or dream-like states, all contributing to the relief of pain and other symptoms.<sup>7</sup>

The documented benefits of VAT extend to improvements in chronic pain, reduction of muscle tension, enhanced sleep quality, alleviation of mood disorders such as anxiety and depression, and a decrease in stress-related symptoms.<sup>6</sup> This comprehensive

effect on both physical and psychological dimensions of pain is crucial for genuinely improving a patient's overall quality of life, which is often severely compromised by chronic conditions. A significant advantage of VAT is its favorable safety profile; it is non-invasive, safe, well-tolerated by diverse populations, and associated with minimal risk of side effects.<sup>8</sup> This high safety profile is a highly significant clinical outcome, particularly when contrasted with the known risks and side effects of pharmacological interventions for chronic pain.<sup>5</sup> This makes VAT an attractive and accessible option for a broad patient population, including those who are not candidates for or have failed other treatments, positioning it as a low-risk entry point into pain management.

## Condition-Specific Outcomes

- **Fibromyalgia:** Research consistently highlights VAT's potential in alleviating fibromyalgia symptoms. The therapy promotes relaxation, reduces muscle tension, and contributes to overall well-being in individuals with this complex condition.<sup>43</sup> Studies indicate that the vibrations from VAT can positively influence the nervous system, helping to calm the overactive signals that frequently exacerbate fibromyalgia symptoms.<sup>43</sup> Participants in VAT sessions have reported significant reductions in pain and fatigue.<sup>43</sup> Specifically, gamma-frequency rhythmic vibroacoustic stimulation (40 Hz) has shown statistically significant changes in fibromyalgia symptom severity, pain interference, depression, and sleep quality from baseline to post-treatment.<sup>47</sup> However, it is important to note that some studies have found that treatment outcomes did not always differ significantly between VAT and control groups, suggesting variability in efficacy depending on study design and specific parameters.<sup>47</sup>
- **Chronic Low Back Pain:** Studies have explored VAT as a supplementary therapy to physiotherapy for managing low back pain, particularly in adolescents.<sup>23</sup> Findings indicate that both a core stabilization exercise program (control group) and the same program supplemented with VAT resulted in a significant decrease in low back pain and the Oswestry disability index after a three-week intervention.<sup>23</sup> However, some studies reported no additional statistical benefit of VAT over physiotherapy alone for low back pain, indicating that while it contributes to pain reduction, its role might be more as a valuable adjunct.<sup>23</sup> Nevertheless, locally applied vibration has been proposed for chronic low back pain, with a pilot study showing a statistically significant reduction in pain scores and increased pressure pain thresholds.<sup>48</sup>
- **Musculoskeletal Pain:** VAT has demonstrated positive effects in significantly

reducing chronic musculoskeletal pain in children and adolescents, particularly in areas where a vibrational cushion was applied.<sup>45</sup> One study reported that VAS pain scores decreased from 8.6 to 4.2 in the VAT group, compared to a decrease from 8.2 to 6.7 in the control group, with functional activity improving by 47% in the VAT group versus 23% in the control group.<sup>45</sup> The therapy is also effective in reducing muscle stiffness and discomfort, benefiting individuals with conditions such as muscle spasms or tension headaches.<sup>27</sup> Furthermore, vibration therapy has been shown to reduce muscle soreness after strenuous exercise, contributing to reduced athlete downtime.<sup>26</sup>

- **Other Chronic Pain Syndromes:**

- **Headaches:** The use of vibration and resonance-type devices has been observed to significantly reduce mean pain ratings over time for tension or cluster-type headaches.<sup>6</sup>
- **Parkinson's Disease:** VAT is employed to alleviate symptoms associated with Parkinson's disease.<sup>8</sup>
- **COPD and Asthma:** VAT may offer symptomatic relief for pulmonary diseases, including Chronic Obstructive Pulmonary Disease (COPD) and asthma.<sup>8</sup>
- **Ehlers-Danlos Syndrome Hypermobility Type (EDS-HT):** A case study indicated modest symptom improvement, including a reduction in pain interference, from VAT in a patient with painful EDS-HT. The study also noted unexpected positive effects on bowel function, relaxation, and energy levels.<sup>31</sup>
- **Arthritis:** VAT has been identified as a modality for drug-free relief of pain from arthritis.<sup>20</sup> It is important to clarify that "Vat Nasak Kwath," mentioned in some sources, refers to an Ayurvedic herbal blend for joint pain relief and is not related to Vibroacoustic Therapy.<sup>49</sup>

## **Enhancement of Life Quality**

Beyond direct pain reduction, VAT significantly contributes to an improved quality of life for individuals grappling with chronic pain.<sup>21</sup> By alleviating mood disorders such as anxiety and depression, and by enhancing sleep quality, VAT addresses the holistic burden of chronic pain, leading to a better overall well-being.<sup>14</sup> This comprehensive effect on both physical and psychological dimensions of pain is crucial for genuinely improving a patient's overall quality of life, which is often severely compromised by chronic conditions. VAT can also serve as a valuable self-management tool,

empowering individuals with chronic or special needs to proactively engage in preventive and integrative wellness therapy.<sup>7</sup> Clients frequently report increased energy levels, enhanced mental clarity, new insights, and a more positive outlook following VAT sessions.<sup>7</sup> The clinical evidence strongly suggests that VAT's primary strength lies in its holistic impact, addressing not only the physical sensation of pain but also the pervasive co-morbidities that define the chronic pain experience, such as stress, anxiety, insomnia, and depression. This comprehensive effect on both physical and psychological dimensions of pain is crucial for genuinely improving a patient's overall quality of life, which is often severely compromised by chronic conditions.

**Table 2: Summary of Clinical Evidence for VAT in Chronic Pain Conditions**

Chronic Pain Condition	Key Findings/Observed Benefits	Supporting Source IDs	Notes/Context
General Chronic Pain	Significant reduction in pain intensity; improved well-being, stress, anxiety, sleep quality.	6	Overall analgesic and relaxation effects observed across various studies.
Fibromyalgia	Significant reductions in pain, fatigue, symptom severity, pain interference, depression, and improved sleep quality.	43	Gamma-frequency (40 Hz) stimulation showed positive changes; some studies noted no statistical difference vs. control.
Chronic Low Back Pain	Significant decrease in pain and disability index; well-tolerated as adjunct.	23	Improvement noted, but some studies found no statistical significance over physical therapy alone.
Musculoskeletal Pain (incl. children/adolescents)	Significant pain reduction (e.g., VAS scores from 8.6 to 4.2); improved functional activity	27	Effective for muscle stiffness, spasms, tension headaches, and post-exercise

	(47% increase).		soreness.
Headaches (Tension/Cluster)	Significant reduction in mean pain ratings over time.	6	Use of vibration and resonance-type devices.
Parkinson's Disease	Alleviation of symptoms.	8	VAT used as a therapeutic intervention.
Ehlers-Danlos Syndrome Hypermobility Type (EDS-HT)	Modest symptom improvement (e.g., pain interference reduction); positive effects on bowel function, relaxation, energy.	31	N-of-1 case study, suggests potential for further investigation.
Arthritis	Drug-free pain relief.	20	Mentioned as a benefit for arthritis pain management.
COPD and Asthma	Alleviation of symptoms.	8	VAT used as a therapeutic intervention.

## VII. Comparative Efficacy and Integration with Other Non-Invasive Therapies

Positioning Vibroacoustic Therapy within the broader landscape of non-invasive pain management interventions reveals its unique attributes, potential for synergy, and its role as either a complementary or standalone modality.

### VAT vs. Transcutaneous Electrical Nerve Stimulation (TENS)

Transcutaneous Electrical Nerve Stimulation (TENS) is a widely used non-invasive

therapy that employs electrical currents to stimulate nerve cells, thereby blocking pain signals and elevating the body's natural endorphin levels.<sup>6</sup> TENS units are portable and generally safe, providing pain relief during treatment, though the duration of relief can vary significantly among individuals.<sup>51</sup>

A comparative study investigating the analgesic effects of vibratory stimulation (VS, 100 Hz) and TENS (100 Hz) in patients with chronic pain found that both modalities independently alleviated pain.<sup>6</sup> Crucially, the study demonstrated that dual stimulation, combining VS and TENS, not only provided pain relief in a greater number of cases but also resulted in stronger and more long-lasting analgesic effects compared to either VS or TENS administered alone.<sup>6</sup> This outcome suggests a synergistic effect when mechanical vibration and electrical stimulation are combined, possibly by recruiting a larger number of large diameter afferents or by increasing the discharge frequencies of nerve signals.<sup>6</sup> This finding is a critical observation, as it indicates that VAT's greatest potential may lie not always in its standalone superiority, but in its ability to synergistically enhance the efficacy of other established non-invasive pain therapies. This positions VAT as a valuable

*integrative tool within a multimodal pain management strategy, rather than solely a competitive alternative.*

### **VAT vs. Physical Therapy and Exercise**

Exercise is a cornerstone of non-pharmacological treatment for chronic musculoskeletal pain, widely recommended for its cost-effectiveness and its proven ability to reduce pain intensity and disability.<sup>3</sup> VAT is often described as having similarities to physiotherapy<sup>24</sup> and can be incorporated as an adjunct to medical treatment and psychotherapy.<sup>7</sup>

In a study examining adolescents with low back pain, both a core stabilization exercise program (control group) and the same program supplemented with VAT demonstrated a significant decrease in low back pain and improvement in the Oswestry disability index.<sup>23</sup> However, the study found no statistically significant differences between the two groups, suggesting that while VAT was well-tolerated and contributed to pain reduction, it did not provide additional statistical benefit over physical therapy alone in this specific context.<sup>23</sup> This indicates that while VAT is a beneficial component, its role might often be as a valuable adjunct that supports and potentially enhances the

effects of conventional physical therapy, rather than always showing statistical superiority as a standalone intervention.

## Brief Comparison with Other Modalities

- **Massage Therapy:** VAT is frequently characterized as a "gentle inner body massage"<sup>7</sup> or a "deep tissue low-frequency sound massage".<sup>7</sup> Similar to traditional massage, its aim is to release tension and promote relaxation.<sup>26</sup> The body's high water content is a key factor that makes VAT vibrations highly effective for deep penetration, allowing it to reach internal structures that traditional external massage might not.<sup>7</sup> This capability for internal stimulation of organs, nerves, and deep-lying tissues could explain its distinct benefits and its capacity to address deep-seated pain.
- **Acupuncture:** While VAT operates through distinct mechanisms, it has been noted that "energetically it works like acupuncture," with the added advantage that sound can penetrate much deeper into the body, potentially rendering it more effective than needles for certain applications.<sup>20</sup>
- **Peripheral Nerve Stimulation (PNS):** PNS represents a non-opioid, non-destructive option for chronic pain, offering advantages such as being less invasive than spinal cord stimulation.<sup>2</sup> VAT shares the non-invasive advantage but differs fundamentally in its mechanism of action, relying on mechanical vibration rather than electrical neuromodulation.
- **Virtual Reality (VR):** VR interventions primarily achieve pain distraction by immersing the user in a captivating virtual environment.<sup>5</sup> While both VAT and VR are non-pharmacological, VAT's primary mechanism involves direct physiological stimulation and relaxation, whereas VR's main approach to pain relief is through diverting attention.<sup>5</sup>
- **Mindfulness:** VAT is increasingly being compared to mindfulness exercises in ongoing research.<sup>34</sup> Studies are investigating its impact on the nervous system, measuring changes in heart rate, brain activity, and speech patterns, and its ability to induce a "rest and digest" state.<sup>34</sup> This highlights VAT's strong connection to mind-body approaches. VAT's capacity to induce deep relaxation, influence brainwave states<sup>14</sup>, and modulate the autonomic nervous system<sup>7</sup> positions it as a powerful bridge between physical and psychological approaches to pain management. This aligns it with mind-body therapies like mindfulness<sup>34</sup> and yoga<sup>4</sup>, suggesting that VAT is particularly adept at addressing the emotional and stress-related components of chronic pain, which are often overlooked by

purely biomechanical interventions. This holistic integration is a significant advantage in managing the complex nature of chronic pain.

## **VIII. Current Research Limitations and Future Directions**

While the current body of evidence highlights the promising therapeutic potential of Vibroacoustic Therapy (VAT) in chronic pain management, the field is still maturing and faces several methodological challenges that necessitate rigorous future research.

### **Methodological Challenges**

One of the primary challenges in VAT research stems from the inherent heterogeneity in study designs, the parameters of VAT application (such as frequency, amplitude, and pulsation), and the chosen outcome measures.<sup>40</sup> This variability makes it difficult to compare results across studies and establish standardized protocols for clinical practice.

A significant hurdle for sensory-based interventions like VAT is the difficulty in designing robust placebo or "true sham" controls.<sup>53</sup> Since VAT involves direct sensory inputs—both auditory and tactile—to conscious individuals, devising a truly neutral control that participants cannot easily discern from the active treatment proves challenging.<sup>53</sup> In some cases, what is intended as a neutral control might inadvertently become a noxious intervention, leading to a false impression of benefit relative to the control group.<sup>53</sup> This problem is compounded by the fact that pain, the primary endpoint, is an entirely subjective experience.<sup>53</sup> Even surrogate markers like medication consumption can be influenced by an individual's subjective impression of a treatment effect.<sup>53</sup> The limitations of traditional randomized controlled trial (RCT) paradigms, particularly blinded and placebo-controlled designs, become apparent in this context.<sup>53</sup> This suggests that alternative research strategies, such as dose-response curves or demonstrations of effect loss during washout periods, may be more appropriate for objectively establishing VAT's benefits.<sup>53</sup> The methodological hurdles in studying sensory-based interventions, particularly the challenges of

designing effective placebo controls and managing the subjective nature of pain, underscore the need for innovative research approaches. These challenges are not unique to VAT but are common across many complementary and integrative health therapies, requiring a re-evaluation of traditional research paradigms to adequately capture and validate their effects.

## Critical Areas for Future Research

To advance the scientific understanding and clinical application of VAT, several critical areas require focused future research:

- **Need for Rigorous Randomized Controlled Trials (RCTs):** Despite existing primary research, there is a clear call for more rigorous, large-scale randomized controlled trials to establish reliable scientific proof of VAT's effectiveness for both acute and chronic pain.<sup>33</sup> This includes standardizing protocols, which are currently highly variable in terms of session length, frequency, and treatment procedures.<sup>54</sup> The imperative for standardization and rigor in VAT research is paramount for its broader acceptance in conventional healthcare. The current heterogeneity in study designs, device parameters, and outcome measures limits the generalizability and comparability of findings, making it difficult to establish clear clinical guidelines. Addressing this through standardized protocols and robust methodologies will be crucial for moving VAT from anecdotal evidence and preliminary studies to a fully evidence-based intervention.
- **Optimizing VAT Parameters:** Further research is needed to define optimal frequencies, intensities, durations, and session frequencies for specific pain conditions and desired outcomes.<sup>33</sup> While some studies have explored the impact of specific frequencies like 40 Hz<sup>11</sup>, more comparative research is needed on different types of vibration delivery and the amount of body surface stimulated.<sup>55</sup>
- **Long-Term Efficacy and Sustained Benefits:** Studies are needed to assess the long-term efficacy and sustained benefits of VAT, as current research often focuses on short-term outcomes.<sup>33</sup>
- **Investigation into Patient Experiences and Psychosocial Components:** Research should delve deeper into patients' subjective experiences and preferences regarding vibroacoustic treatment and its psychosocial components.<sup>53</sup> This includes understanding how the therapeutic relationship and individual expectations influence outcomes.<sup>56</sup>
- **Further Elucidation of Neurological and Biochemical Pathways:** While

proposed mechanisms exist, more detailed research is required to fully elucidate the physiological, neurological, and biochemical pathways through which VAT exerts its effects.<sup>22</sup> This includes understanding the specific impact of low-frequency vibrations on cognitive function and stress markers, differentiating therapeutic effects from potential negative impacts of non-therapeutic low-frequency noise.<sup>57</sup> The need for mechanistic clarity is a fundamental requirement for VAT to gain full scientific acceptance. While several proposed physiological and neurological pathways are identified, the precise dose-response relationships and the detailed biochemical cascades remain to be fully elucidated. This deeper understanding is essential for optimizing treatment protocols, identifying specific biomarkers of response, and distinguishing therapeutic low-frequency vibrations from potentially adverse environmental low-frequency noise.

## **Fostering Collaboration**

The advancement of VAT research necessitates a holistic and multi-disciplinary approach.<sup>59</sup> There is a strong imperative for interdisciplinary cooperation between academia, clinical practice, and industry to advance VAT research and application.<sup>33</sup> This collaboration is crucial for developing new methods and tools, supported by robust measurements, analysis, and interpretation of results.<sup>59</sup> Companies like TheSoundwell, as manufacturers of VAT devices, are uniquely positioned to foster this collaboration and contribute to high-quality academic and applied research on Olav Skille's low sound frequencies.<sup>17</sup> This collaborative effort is essential for moving VAT from a largely clinical practice, often supported by anecdotal evidence, to a fully evidence-based discipline with standardized formal training for practitioners.<sup>11</sup>

## **IX. Conclusion and Recommendations**

Vibroacoustic Therapy (VAT) stands as a compelling non-invasive modality with demonstrated positive impacts on reducing chronic pain and enhancing overall quality of life. Rooted in the pioneering work of Olav Skille, VAT leverages the unique bio-physical properties of the human body, particularly its high water content, to

deliver deep-penetrating low-frequency vibrations. The therapeutic effects are multifaceted, encompassing sensory gating mechanisms that inhibit pain signals, modulation of the autonomic nervous system to induce profound relaxation, and the hypothesized release of endogenous neurochemicals. Clinically, VAT has shown promise across various chronic pain conditions, including fibromyalgia, musculoskeletal pain, and certain headaches, while also alleviating associated symptoms like anxiety, stress, and sleep disturbances. Its favorable safety profile, with minimal reported side effects, positions it as an attractive option within the evolving landscape of non-pharmacological pain management.

The analysis indicates that VAT's strength lies not only in its direct analgesic effects but also in its holistic capacity to address the interconnected physical and psychological dimensions of chronic pain. The ability to induce deep relaxation, regulate the body's stress response, and potentially influence brainwave states contributes significantly to an improved quality of life beyond mere pain symptom suppression. Furthermore, the evidence suggests that VAT holds significant potential as an integrative therapy, capable of synergistically enhancing the benefits of other established non-invasive interventions like TENS and physical therapy. This positions VAT as a valuable component within a comprehensive, multimodal pain management strategy.

To solidify VAT's standing and facilitate its broader adoption, several recommendations emerge from the current scientific landscape:

1. **Prioritize Rigorous Research:** Invest in and support large-scale, well-designed randomized controlled trials (RCTs) that adhere to standardized protocols. This includes meticulously defining VAT parameters (frequency, amplitude, duration, session frequency) and employing objective outcome measures alongside patient-reported experiences. The challenges in designing placebo controls for sensory-based interventions necessitate exploring innovative research methodologies to provide robust scientific validation.
2. **Elucidate Mechanisms and Optimize Protocols:** Continue to invest in research aimed at a deeper understanding of the precise physiological, neurological, and biochemical pathways through which VAT exerts its effects. This mechanistic clarity will be crucial for optimizing treatment protocols for specific pain conditions and identifying individual responders.
3. **Promote Integrative Care Models:** Emphasize VAT's role as a complementary therapy that can enhance the efficacy of existing treatments. Develop clinical guidelines and training programs that facilitate the seamless integration of VAT into multidisciplinary pain management programs, encouraging collaboration

between VAT practitioners and other healthcare professionals.

4. **Educate and Disseminate:** Develop evidence-based educational materials for healthcare providers and the public, clearly articulating the scientific principles, documented benefits, and appropriate applications of VAT. This will help to build trust and increase awareness of VAT as a credible and effective non-invasive option.
5. **Foster Industry-Academia Collaboration:** As a leading manufacturer of VAT devices, TheSoundwell is uniquely positioned to champion and fund academic research. Collaborative initiatives can accelerate the development of new devices, refine existing technologies, and generate the high-quality evidence needed for wider clinical acceptance and insurance coverage. This strategic engagement will ensure that the continued commercial growth of VAT products is firmly grounded in scientific rigor and patient benefit.

## Works cited

1. Gate control theory | EBSCO Research Starters, accessed August 8, 2025, <https://www.ebsco.com/research-starters/anatomy-and-physiology/gate-control-theory>
2. Clinical Predictors of Pain Relief with 60-Day Peripheral Nerve Stimulation: A Multicenter Observational Study - Dove Medical Press, accessed August 8, 2025, <https://www.dovepress.com/clinical-predictors-of-pain-relief-with-60-day-peripheral-nerve-stimul-peer-reviewed-fulltext-article-JPR>
3. Effectiveness of Painful Versus Nonpainful Exercise on Pain Intensity, Disability, and Other Patient-Reported Outcomes in Adults With Chronic Musculoskeletal Pain: An Updated Systematic Review With Meta-Analysis - jospt, accessed August 8, 2025, <https://www.jospt.org/doi/10.2519/jospt.2025.13253>
4. Non-Drug Approaches to Chronic Pain - Whole Health Library - VA.gov, accessed August 8, 2025, <https://www.va.gov/WOLEHEALTHLIBRARY/tools/non-drug-approaches-to-chronic-pain.asp>
5. Virtual Reality Assisted Non-Pharmacological Treatments in Chronic Pain Management: A Systematic Review and Quantitative Meta-Analysis - MDPI, accessed August 8, 2025, <https://www.mdpi.com/1660-4601/19/7/4071>
6. Vibroacoustic Therapy: Sound Vibrations in Medicine - ResearchGate, accessed August 8, 2025, [https://www.researchgate.net/publication/237758635\\_Vibroacoustic\\_Therapy\\_Sound\\_Vibrations\\_in\\_Medicine](https://www.researchgate.net/publication/237758635_Vibroacoustic_Therapy_Sound_Vibrations_in_Medicine)
7. Vibroacoustic Therapy - Innova Recovery Center, accessed August 8, 2025, <https://innovarecoverycenter.com/therapy/vibroacoustic-therapy/>
8. Benefits of Vibroacoustic Therapy - Montare Behavioral Health, accessed August 8, 2025, <https://montarebehavioralhealth.com/blog/benefits-of-vibroacoustic-therapy/>

9. Research and Studies | BHTherapeutics - Body Harmony Therapeutics, accessed August 8, 2025, <https://www.bodyharmonytherapeutics.com/studies>
10. VibroAcoustic Therapy | Music Therapy - Oxford Academic, accessed August 8, 2025, <https://academic.oup.com/musictherapy/article/8/1/61/2756994>
11. Vibroacoustic therapy - Wikipedia, accessed August 8, 2025, [https://en.wikipedia.org/wiki/Vibroacoustic\\_therapy](https://en.wikipedia.org/wiki/Vibroacoustic_therapy)
12. www.vibroacoustictherapy-intl.com, accessed August 8, 2025, <https://www.vibroacoustictherapy-intl.com/in-memory-of-olav-skille#:~:text=Ola%20Skille%20is%20the%20inventor,he%20later%2C%20put%20music%20aside>
13. Core Group - Member introductions - VIBRAC, accessed August 8, 2025, <https://www.vibrac.fi/core-group/>
14. Vibroacoustic Therapy — Sound Waves Wellness, accessed August 8, 2025, <https://www.soundwaveswellness.com/vibroacoustic-therapy>
15. VibroAcoustic Therapy | Music Therapy - Oxford Academic, accessed August 8, 2025, <https://academic.oup.com/musictherapy/article-abstract/8/1/61/2756994>
16. VibroAcoustic Therapy - Oxford Academic, accessed August 8, 2025, <https://academic.oup.com/musictherapy/article-pdf/8/1/61/8739474/8-1-61.pdf>
17. In Memory of Olav Skille - Vibroacoustic Intl, accessed August 8, 2025, <https://www.vibroacoustictherapy-intl.com/in-memory-of-olav-skille>
18. Vibroacoustic Therapy and Development of a New Device: A Pilot Study in the Health Resort Environment, accessed August 8, 2025, <https://www.hrupub.org/download/20180830/UJPH2-17611332.pdf>
19. What is Vibroacoustic Therapy? - Low-frequency sound vibration - VIBRAC, accessed August 8, 2025, <https://www.vibrac.fi/vibroacoustic-therapy/>
20. Vibroacoustic Therapy | Dalini Skin Care Spa | San Rafael, CA, accessed August 8, 2025, <https://www.daliniskincarespa.com/vibroacoustic-therapy/>
21. Vibroacoustic Therapy (VAT) - Northern Bliss Massage & Wellness, accessed August 8, 2025, <https://www.northernblissmassage.com/vat>
22. "Grooving in My Body": A Mixed-Methods Pilot Study of Vibroacoustic Therapy's Effects on Emotion Regulation and Attention in Autistic Children, accessed August 8, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC11898927/>
23. Effect of vibroacoustic therapy on pain management in adolescents with low back pain, accessed August 8, 2025, <https://www.extrica.com/article/17165>
24. Vibroacoustic Sound Therapy Improves Pain Management and More | Request PDF, accessed August 8, 2025, [https://www.researchgate.net/publication/8485034\\_Vibroacoustic\\_Sound\\_Therapy\\_Improves\\_Pain\\_Management\\_and\\_More](https://www.researchgate.net/publication/8485034_Vibroacoustic_Sound_Therapy_Improves_Pain_Management_and_More)
25. Vibroacoustic Therapy In Franklin, TN - Dr. Gil Center, accessed August 8, 2025, <https://calldrgiltn.com/vibroacoustic-therapy/>
26. What Is Vibroacoustic Therapy? – inHarmony Interactive 2025, accessed August 8, 2025, <https://iaminharmony.com/pages/vibroacoustictherapy>
27. Vibroacoustic Therapy (VAT) - Geelong Bowen, accessed August 8, 2025, <https://www.geelongbowen.com.au/vibroacoustic-therapy-vat/>
28. Gate Control Theory of Pain - Physiopedia, accessed August 8, 2025,

[https://www.physio-pedia.com/Gate\\_Control\\_Theory\\_of\\_Pain](https://www.physio-pedia.com/Gate_Control_Theory_of_Pain)

29. Music and low-frequency vibrations for the treatment of chronic musculoskeletal pain in elderly: A pilot study | PLOS One - Research journals, accessed August 8, 2025, <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0259394>
30. (PDF) Impact of Vibroacoustic Sound Therapy on Dental Pain Relief - ResearchGate, accessed August 8, 2025, [https://www.researchgate.net/publication/392474324\\_Impact\\_of\\_Vibroacoustic\\_Sound\\_Therapy\\_on\\_Dental\\_Pain\\_Relief](https://www.researchgate.net/publication/392474324_Impact_of_Vibroacoustic_Sound_Therapy_on_Dental_Pain_Relief)
31. Vibroacoustic Therapy for Ehlers-Danlos Syndrome: A Case Study, accessed August 8, 2025, <https://www.anncaserep.com/open-access/vibroacoustic-therapy-for-ehlers-danlos-syndrome-a-case-study-4396.pdf>
32. Vibration helps reduce pain in chronic sufferers, UF researchers find - UF Health, accessed August 8, 2025, <https://ufhealth.org/news/2011/vibration-helps-reduce-pain-chronic-sufferers-uf-researchers-find>
33. Vibroacoustic Therapy - Literature Review - by Scientifica Consulting - inHarmony, accessed August 8, 2025, <https://iaminharmony.com/pages/vibroacoustic-therapy-literature-review-by-scientifica-consulting-august-2024>
34. Comparing VibroAcoustics Sound Massage (VSM) & Mindfulness - Danish Sound Cluster, accessed August 8, 2025, <https://danishsoundcluster.dk/comparing-vibroacoustics-sound-massage-vsm-mindfulness/>
35. Vibroacoustic Therapy - RECO Intensive, accessed August 8, 2025, <https://recointensive.com/neurointegration/vibroacoustic-therapy/>
36. "Grooving in My Body": A Mixed-Methods Pilot Study of Vibroacoustic Therapy's Effects on Emotion Regulation and Attention in Autistic Children - MDPI, accessed August 8, 2025, <https://www.mdpi.com/2227-9032/13/5/465>
37. "Grooving in My Body": A Mixed-Methods Pilot Study of Vibroacoustic Therapy's Effects on Emotion Regulation and Attention in Autistic Children - PubMed, accessed August 8, 2025, <https://pubmed.ncbi.nlm.nih.gov/40077026/>
38. (PDF) Low frequency noise enhances cortisol among noise sensitive subjects during work performance - ResearchGate, accessed August 8, 2025, [https://www.researchgate.net/publication/11526537\\_Low\\_frequency\\_noise\\_enhances\\_cortisol\\_among\\_noise\\_sensitive\\_subjects\\_during\\_work\\_performance](https://www.researchgate.net/publication/11526537_Low_frequency_noise_enhances_cortisol_among_noise_sensitive_subjects_during_work_performance)
39. Low frequency noise enhances cortisol among noise sensitive subjects during work performance - PubMed, accessed August 8, 2025, <https://pubmed.ncbi.nlm.nih.gov/11833738/>
40. THE EFFECTS OF VIBROACOUSTIC THERAPY ON CLINICAL AND NON-CLINICAL POPULATIONS DOCTOR OF PHILOSOPHY, accessed August 8, 2025, <http://vibroacoustics.org/FrequencyInfo/Research%20Articles/Wigram.Vat.Thesis.pdf>
41. Vibroacoustic Therapy - NeuroMeditation Institute, accessed August 8, 2025, <https://www.neuromeditationinstitute.com/vibroacoustic-therapy-eugene>

42. Vibroacoustic Therapy - Medical Marijuana Doctor in Tampa | The Herbal Clinic, MD, accessed August 8, 2025,  
<https://www.theherbalclinicmd.com/holistic-health-services/vibroacoustic-therapy>

43. Vibroacoustic Therapy and the Fibromyalgia Puzzle - Geelong Bowen, accessed August 8, 2025,  
<https://www.geelongbowen.com.au/vibroacoustic-therapy-and-fibromyalgia/>

44. Vibrating the pain away? Here's what you need to know about vibration therapy (and why you should try it) - The Toe Spacer, accessed August 8, 2025,  
<https://thetoespacer.com/blogs/toespacerblog/vibrating-the-pain-away>

45. FRI0639-HPR EFFECTS OF VIBROACOUSTIC THERAPY IN CHRONIC MUSCULOSKELETAL PAIN IN CHILDREN AND ADOLESCENTS | Request PDF - ResearchGate, accessed August 8, 2025,  
[https://www.researchgate.net/publication/348772967\\_FRI0639-HPR\\_EFFECTS\\_OF\\_VIBROACOUSTIC\\_THERAPY\\_IN\\_CHRONIC\\_MUSCULOSKELETAL\\_PAIN\\_IN\\_CHILDREN\\_AND\\_ADOLESCENTS](https://www.researchgate.net/publication/348772967_FRI0639-HPR_EFFECTS_OF_VIBROACOUSTIC_THERAPY_IN_CHRONIC_MUSCULOSKELETAL_PAIN_IN_CHILDREN_AND_ADOLESCENTS)

46. Vibroacoustic Treatment and Chronic Pain | The Art Of Sound Healing, accessed August 8, 2025,  
<https://www.theartofsoundhealing.com/vibroacoustic-treatment-and-chronic-pain/>

47. A parallel randomized controlled trial examining the effects of rhythmic sensory stimulation on fibromyalgia symptoms - PubMed Central, accessed August 8, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC6396935/>

48. Effect of locally applied vibration on pain reduction in patients with chronic low back pain: A pilot study - Acta Gymnica, accessed August 8, 2025,  
[https://gymnica.upol.cz/artkey/gym-201802-0005\\_effect\\_of\\_locally\\_applied\\_vibration\\_on\\_pain\\_reduction\\_in\\_patients\\_with\\_chronic\\_low\\_back\\_pain\\_a\\_pilot\\_study.php?back=%2Fsearch.php%3Fquery%3DInfluence%2Bof%2Bwaterpipe%2Bsmoking%2Bon%2Bcardiac%2Bautonomic%2Bfunction%2Bat%2Brest%2Band%2Bfollo%26sfrom%3D90%26page%3D30](https://gymnica.upol.cz/artkey/gym-201802-0005_effect_of_locally_applied_vibration_on_pain_reduction_in_patients_with_chronic_low_back_pain_a_pilot_study.php?back=%2Fsearch.php%3Fquery%3DInfluence%2Bof%2Bwaterpipe%2Bsmoking%2Bon%2Bcardiac%2Bautonomic%2Bfunction%2Bat%2Brest%2Band%2Bfollo%26sfrom%3D90%26page%3D30)

49. Vat Nasak Kwath - Ayurvedic Joint Pain Relief | Vata Balancer | Nervous System Disorders | Paralysis | Sciatica | Facial Palsy | 200 ml in Ortho Care | Elzac Herbal India, accessed August 8, 2025,  
<https://elzacherbals.com/products/details/vat-nasak-kwath-ayurvedic-joint-pain-relief-vata-balancer-nervous-system-disorders-paralysis-sciatica-facial-palsy-200-ml>

50. Vat Nasak Kwath - Ayurvedic Joint Pain Relief | Vata Balancer | Nervous System Disorders | Paralysis | Sciatica | Facial Palsy | 450 ml in Ortho Care | Elzac Herbal India, accessed August 8, 2025,  
<https://elzacherbals.com/products/details/vat-nasak-kwath-ayurvedic-joint-pain-relief-vata-balancer-nervous-system-disorders-paralysis-sciatica-facial-palsy-450-ml>

51. Transcutaneous Electrical Nerve Stimulation (TENS) - Cleveland Clinic, accessed August 8, 2025,  
<https://my.clevelandclinic.org/health/treatments/15840-transcutaneous-electrical>

-nerve-stimulation-tens

52. Analgesic effects of vibration and transcutaneous electrical nerve stimulation applied separately and simultaneously to patients with chronic pain - PubMed, accessed August 8, 2025, <https://pubmed.ncbi.nlm.nih.gov/1712660/>
53. Exploring vibroacoustic therapy in adults experiencing pain: a scoping review - BMJ Open, accessed August 8, 2025, <https://bmjopen.bmj.com/content/12/4/e046591.reviewer-comments>
54. Exploring vibroacoustic therapy in adults experiencing pain: a scoping review - PMC, accessed August 8, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC8984038/>
55. Possible Mechanisms for the Effects of Sound Vibration on Human Health - MDPI, accessed August 8, 2025, <https://www.mdpi.com/2227-9032/9/5/597>
56. Multidisciplinary Applications of Vibroacoustics – from Clinical Practice and Research to Future Directions - Music and Medicine, accessed August 8, 2025, <https://www.mmd.iammonline.com/index.php/musmed/article/download/582/pdf/1365>
57. Low-Frequency Noise and Its Main Effects on Human Health—A Review of the Literature between 2016 and 2019 - MDPI, accessed August 8, 2025, <https://www.mdpi.com/2076-3417/10/15/5205>
58. Effect of low-frequency noise exposure on cognitive function: a systematic review and meta-analysis - PubMed Central, accessed August 8, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC10775542/>
59. Special Issue : Vibroacoustic Monitoring: Theory, Methods and Applications - MDPI, accessed August 8, 2025, [https://www.mdpi.com/journal/applesci/special\\_issues/0H9K2832I3](https://www.mdpi.com/journal/applesci/special_issues/0H9K2832I3)

Contact Us Today to learn more about how to Integrate vibroacoustic therapy as a therapeutic tool and as self help tool

Avigaili Berg  
CEO  
The SoundWell  
[avigail@vibro-therapy.com](mailto:avigail@vibro-therapy.com)  
[www.vibro-therapy.com](http://www.vibro-therapy.com)

